



FALL/WINTER 2012 PRODUCT CATALOG

TECHNOLOGICALLY SUPERIOR IN FUNCTION
WHILE MAINTAINING SIMPLICITY OF OPERATION



Established in 1937, the Clark agricultural division of Clymer Enterprises has grown into an international supplier of quality commercial fertilizer application and support equipment.

Clark Agricultural Equipment
PO Box 266
Pandora, OH 45877
1-800-448-0784
www.CLARKAGEQUIPMENT.com

QUICK REFERENCE PART LIST



Straight Edge Ripple Blade
 Available in 17" & 20"



Ripple Blade
 Available in 17" & 20"



Plain Blade
 Available in 17" & 20"



N345
 22" Offset Shaft



N393Y
 Knife Mounting Brkt.
 Shown with Optional
 Wiese CO-50 Knife



W40-2 (Standard)
 2-Piece Seal Kit
 Options Available



N343
 22" Straight Shaft



COI200
 Injection Mounting
 Assembly



N349-DS
 Ductile Steel
 Depth Spool



Coulters Injection
 Assemblies w/
 Poly or S.S. Check
 Valve



N346S
 Bolt Sack



E-Koted U-Bolt &
 Dorreltech coated
 Nuts and Lock Washers



N-341Y
 Clamp Assembly



N347-2
 30° Lock Collar w/ Bolt
 (45° Optional)



N346 SERIES COULTER ASSEMBLY OPTIONS

Clamps Are Not Included With Coulter

N346 STANDARD COULTER SUB-ASSEMBLY



Coulter Sub-Assembly

Includes:
N346 COULTER SUB-ASSEMBLY

wt. 35 lbs.

N346Y STANDARD COULTER SUB-ASSEMBLY with LOCKING COLLAR & BOLT SACK



Coulter Sub-Assembly



Includes:
N346 COULTER SUB-ASSEMBLY
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

wt. 37 lbs.

N347Y STANDARD 20" COULTER ASSEMBLY without BLADE



Coulter Sub-Assembly



Includes:
N346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

wt. 48 lbs.

N347 w/ N342 STANDARD COULTER ASSEMBLY with 20" RIPPLE BLADE



20" Ripple Blade



Includes:
N346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342 20" RIPPLE BLADE

wt. 63 lbs.



20" Ripple Blade

N347 w/ N342-SE STANDARD COULTER ASSEMBLY with 20" STRAIGHT EDGE RIPPLE BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-SE 20" RIPPLE BLADE

wt. 61 lbs.



20" Plain Blade

N347 w/ N342-P STANDARD COULTER ASSEMBLY with 20" PLAIN BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-P 20" PLAIN BLADE

wt. 61 lbs.



17" Ripple Blade

N347 w/ N339-R STANDARD COULTER ASSEMBLY with 17" RIPPLE BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N339-R 17" RIPPLE BLADE

wt. 58 lbs.



Coulter Sub-Assembly

N348Y OFFSET 20" COULTER ASSEMBLY without BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

wt. 50 lbs.



20" Ripple Blade

N348 w/ N342 OFFSET COULTER ASSEMBLY with 20" RIPPLE BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342 20" RIPPLE BLADE

wt. 65 lbs.



20" Straight Edge Ripple Blade

N348 w/ N342-SE OFFSET COULTER ASSEMBLY with 20" STRAIGHT EDGE RIPPLE BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-SE 20" STRAIGHT EDGE RIPPLE BLADE

wt. 63 lbs.



20" Plain Blade

N348 w/ N342-P OFFSET COULTER ASSEMBLY with 20" PLAIN BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-P 20" PLAIN BLADE

wt. 63 lbs.



17" Ripple Blade

N348 w/ N339-R OFFSET COULTER ASSEMBLY with 17" RIPPLE BLADE

Includes:

N346 COULTER SUB-ASSEMBLY
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N339-R 17" RIPPLE BLADE

wt. 60 lbs.



Coulter Injection Bracket - Spring Loaded

BOLT-ON COULTER INJECTION OPTIONS **for N346 SERIES COULTER**

COI100 BOLT-ON SPRING-LOADED STREAM INJECTION BRACKET ASSEMBLY

Includes:

COI100 COULTER INJECTION BRACKET
WITHOUT INJECTOR NOZZLE
ASSEMBLY, TIP & CHECK VALVE

wt. 12 lbs.

BOLT-ON COULTER INJECTION OPTIONS for N346 SERIES COULTERS - CON'T



COI100Y BOLT-ON SPRING-LOADED STREAM INJECTION BRACKET ASSEMBLY with STAINLESS STEEL INJECTOR & POLY CHECK VALVE

Bolt-On **Spring-Loaded** Stream Injection Bracket Assembly
Stainless Steel Injector & **Poly** Check Valve

Includes:
COI100 COULTER INJECTION BRACKET ASSEMBLY
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
C-25CV POLY CHECK VALVE

wt. 13 lbs.



COI100Y-SS BOLT-ON SPRING-LOADED STREAM INJECTION BRACKET ASSEMBLY with STAINLESS STEEL INJECTOR & STAINLESS STEEL CHECK VALVE

Bolt-On **Spring-Loaded** Stream Injection Bracket Assembly
Stainless Steel Injector & **Stainless Steel** Check Valve

Includes:
COI100 COULTER INJECTION BRACKET ASSEMBLY
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
CSS-25CV STAINLESS STEEL CHECK VALVE

wt. 13 lbs.



COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY

Bracket Assembly

Includes:
COI110 BOLT-ON INJECTION BRACKET **WITHOUT** KNIFE or INJECTOR
MOUNTING ASSEMBLIES

wt. 12 lbs.



COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY with COI200

Bracket Assembly with COI200

Includes:
COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY
COI200 BOLT-ON STREAM INJECTION BRACKET **WITHOUT** INJECTOR

wt. 14 lbs.



COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY with COI200Y

Bracket Assembly with COI200Y Injector Assembly
Poly Check Valve

Includes:
COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY
COI200 BOLT-ON STREAM INJECTION BRACKET
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
C-25CV POLY CHECK VALVE

wt. 14 lbs.



COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY with COI200Y-SS

Bracket Assembly with COI200Y-SS Injector Assembly

Stainless Steel Check Valve

Includes:
COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY
COI200 BOLT-ON STREAM INJECTION BRACKET
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
CSS-25CV S.S. CHECK VALVE

wt. 14 lbs.



Shown with optional knife

Knife Injection
Bracket Assembly

COI110N393 BOLT-ON KNIFE INJECTION BRACKET ASSEMBLY

Includes:
COI110 BOLT-ON KNIFE or STREAM INJECTION BRACKET ASSEMBLY
N393Y BOLT-ON CO-50 KNIFE MOUNTING BRACKET

wt. 18 lbs.



COI120 BOLT-ON STREAM INJECTION BRACKET ASSEMBLY

Stream Injection Bracket Assembly

Includes:
COI120 BOLT-ON STREAM INJECTION MOUNTING BRACKET
COI200 BOLT-ON STREAM INJECTION BRACKET **WITHOUT** INJECTOR

wt. 12 lbs.



COI120Y BOLT-ON STREAM INJECTION BRACKET ASSEMBLY with POLY CHECK VALVE

Stream Injection Bracket Assembly
Poly Check Valve

Includes:
COI120 BOLT-ON STREAM INJECTION MOUNTING BRACKET
COI200 BOLT-ON STREAM INJECTION BRACKET
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
C-25CV POLY CHECK VALVE

wt. 12 lbs.



COI120Y-SS BOLT-ON STREAM INJECTION BRACKET ASSEMBLY with S.S. CHECK VALVE

Stream Injection Bracket Assembly
Stainless Steel Check Valve

Includes:
COI120 BOLT-ON STREAM INJECTION MOUNTING BRACKET
COI200 BOLT-ON STREAM INJECTION BRACKET
COI100-8Y INJECTOR ASSEMBLY with #15 TIP
CSS-25CV S.S. CHECK VALVE

wt. 12 lbs.



NCIK346 SERIES COULTER INJECTION-KNIFE ASSEMBLY OPTIONS

Clamps Are Not Included With Coulter - Injector Assy., Nozzle Holder / Rock Guard Assy., & Knife Mounting Bracket Assy. Not Included



NCIK346 COULTER INJECTION-KNIFE SUB-ASSEMBLY

Includes:

NCIK346 COULTER SUB-ASSEMBLY

Steam Injection/Knife Coulter Sub-Assembly

wt. 48 lbs.



NCIK346Y COULTER INJECTION-KNIFE SUB-ASSEMBLY with LOCKING COLLAR & BOLT SACK

Includes:

NCIK346 COULTER SUB-ASSEMBLY
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

Steam Injection/Knife Coulter Sub-Assembly

wt. 49 lbs.



NCIK347Y COULTER INJECTION-KNIFE ASSEMBLY without BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

Stream Injection/Knife Coulter Sub-Assembly with Lock Collar, Bolt Sack and Straight Coulter Shank

wt. 60 lbs.



NCIK347 w/ N342 COULTER INJECTION-KNIFE ASSEMBLY with RIPPLE BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342 20" RIPPLE BLADE

20" Ripple Blade

wt. 75 lbs.



NCIK347 w/ N342-P COULTER INJECTION-KNIFE ASSEMBLY with PLAIN BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-P 20" PLAIN BLADE

20" Plain Blade

wt. 75 lbs.



NCIK347 w/ N342-SE COULTER INJECTION-KNIFE ASSEMBLY with STRAIGHT EDGE RIPPLE BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N343 1 1/2" x 22" **STRAIGHT** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-SE 20" STRAIGHT EDGE RIPPLE BLADE

20" Straight Edge Ripple Blade

wt. 75 lbs.



NCIK348Y OFFSET 20" COULTER INJECTION-KNIFE ASSEMBLY without BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK

20" Coulter Injection Knife Assembly

wt. 62 lbs.



NCIK348 w/ N342 OFFSET 20" COULTER INJECTION-KNIFE ASSEMBLY with RIPPLE BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342 20" RIPPLE BLADE

20" Ripple Blade

wt. 77 lbs.



NCIK348 w/ N342-P OFFSET 20" COULTER INJECTION-KNIFE ASSEMBLY with PLAIN BLADE

Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM
N345 1 1/2" x 22" **OFFSET** COULTER SHANK
N347-2 LOCKING COLLAR (30 degree)
N346S BOLT SACK
N342-P 20" PLAIN BLADE

20" Plain Blade

wt. 77 lbs.

NCIK346 SERIES COULTER INJECTION-KNIFE ASSEMBLY OPTIONS - CON'T



20" Straight Edge
Ripple Blade

NCIK348 w/ N342-SE OFFSET 20" COULTER INJECTION-KNIFE ASSEMBLY with RIPPLE BLADE



Includes:

NCIK346 COULTER SUB-ASSEMBLY with WELDED COULTER INJECTION ARM

N345 1 1/2" x 22" **OFFSET** COULTER SHANK

N347-2 LOCKING COLLAR (30 degree)

N346S BOLT SACK

N342-SE 20" STRAIGHT EDGE RIPPLE BLADE

wt. 77 lbs.



COULTER STREAM INJECTION OPTIONS FOR NCIK346 SERIES COULTER & COI110 BRACKET ASSEMBLY



Injection Mounting Bracket Assembly

COI200 COULTER INJECTION MOUNTING BRACKET ASSEMBLY

Includes:

COI100-7 NOZZLE HOLDER/ROCK GUARD

(2) FBS0602 3/8" X 1/2" STAINLESS STEEL SET BOLTS

(1) FBH0816-SS 1/2" X 4" S.S. BOLT

(1) FNJ08-SS 1/2" S.S. JAM NUT

(1) FNJL08-SS 1/2" S.S. JAM LOCKNUT

wt. 2 lbs.



Injection Assembly with **Poly** Check Valve

COI200Y COULTER INJECTION ASSEMBLY with POLY CHECK VALVE

Includes:

COI200 BOLT-ON COULTER INJECTION BRACKET ASSEMBLY

COI100-8Y INJECTOR ASSEMBLY with #15 TIP

C-25CV POLY CHECK VALVE

wt. 3 lbs.



Injection Assembly with **Stainless Steel** Check Valve

COI200Y-SS COULTER INJECTION ASSEMBLY with STAINLESS STEEL CHECK VALVE

Includes:

COI200 BOLT-ON COULTER INJECTION BRACKET ASSEMBLY

COI100-8Y INJECTOR ASSEMBLY with #15 TIP

CSS-25CV STAINLESS STEEL CHECK VALVE

wt. 3 lbs.

COULTER KNIFE INJECTION for NCIK346 SERIES COULTER

N393Y



Knife Assembly
Mounted on NCIK 346 Series Coulters

MOUNTING BRACKET ASSEMBLY for WIESE CO-50 KNIFE



Includes:

N393 MOUNTING BRACKET

N393A-D SHIMS

FBH0814 1/2" X 3 1/2" BOLT

FBH0810 1/2" X 2 1/2" BOLT

FBH0807 1/2" X 1 3/4" BOLT

(3) FNH08 1/2" HEX NUT

(3) FWL08 1/2" LOCK WASHER

(2) FWF08-SAE 1/2" FLAT WASHER

Shown with optional Wiese CO-50 Knife

wt. 6 lbs.

DUCTILE STEEL DEPTH SPOOL



Depth Spool

N349-DS DEPTH SPOOL

- Made from heavy-duty ductile steel to resist damage from rocks and heavy dirt clods.
- Tapered for self-cleaning
- Allows fit of 5" and 5-1/4" four bolt pattern coulters blade applications without adding additional mounting kits.
- Provides consistent coulters and knife depth while protecting bearings from excessive abuse.

wt. 16 lbs.



CLAMP ASSEMBLY OPTIONS for ALL COULTERS



4" x 4" Clamp

N340Y-44 4" X 4" CLAMP ASSEMBLY

Rust-Resistant E-Koted U-Bolts & Dorreltech coating on nuts and lock washers

Includes:

(1) N340-1 CLAMP PLATE

(2) FBU677 E-KOTED 5/8" x 4 1/8" x 7 1/2" UBOLT





(2) N369 CAST CLAMP

(4) FNH10-D DORRELTECH COATED 5/8" HEX NUT











(4) FWL10-D DORRELTECH COATED 5/8" LOCK WASHER

wt. 12 lbs.

CLAMP ASSEMBLY OPTIONS for ALL COULTERS - Con't

 <p>4" x 6" Clamp</p>	<p>N340Y-46 4" X 6" CLAMP ASSEMBLY Rust-Resistant E-Koted U-Bolts & Dorreltech coating on nuts and lock washers</p>	<p>Includes: (1) <u>N340-1</u> CLAMP PLATE (2) <u>FBU678</u> E-KOTED 5/8" x 4 1/8" x 9 1/2" UBOLT (2) <u>N369</u> CAST CLAMP (4) <u>FNH10-D</u> DORRELTECH COATED 5/8" HEX NUX (4) <u>FWL10-D</u> DORRELTECH COATED 5/8" LOCK WASHER</p> <p>wt. 12 lbs.</p>
 <p>6" x 4" Clamp</p>	<p>N367Y-64 6" X 4" CLAMP ASSEMBLY Rust-Resistant E-Koted U-Bolts & Dorreltech coating on nuts and lock washers</p>	<p>Includes: (1) <u>N367-1</u> CLAMP PLATE (2) <u>FBU679</u> E-KOTED 5/8" x 6 1/8" x 7 1/2" UBOLT (2) <u>N369</u> CAST CLAMP (4) <u>FNH10-D</u> DORRELTECH COATED 5/8" HEX NUX (4) <u>FWL10-D</u> DORRELTECH COATED 5/8" LOCK WASHER</p> <p>wt. 13 lbs.</p>
 <p>7" x 5" Clamp</p>	<p>N367Y-75 7" X 5" CLAMP ASSEMBLY Rust-Resistant E-Koted U-Bolts & Dorreltech coating on nuts and lock washers</p>	<p>Includes: (1) <u>N367-1</u> CLAMP PLATE (2) <u>FBU680</u> E-KOTED 5/8" x 7 1/8" x 8 1/2" UBOLT (2) <u>N369</u> CAST CLAMP (4) <u>FNH10-D</u> DORRELTECH COATED 5/8" HEX NUX (4) <u>FWL10-D</u> DORRELTECH COATED 5/8" LOCK WASHER</p> <p>wt. 13 lbs.</p>
 <p>7" x 7" Clamp</p>	<p>N367Y-77 7" X 7" CLAMP ASSEMBLY Rust-Resistant E-Koted U-Bolts & Dorreltech coating on nuts and lock washers</p>	<p>Includes: (1) <u>N367-1</u> CLAMP PLATE (2) <u>FBU681</u> E-KOTED 5/8" x 7 1/8" x 10 1/2" UBOLT (2) <u>N369</u> CAST CLAMP (4) <u>FNH10-D</u> DORRELTECH COATED 5/8" HEX NUX (4) <u>FWL10-D</u> DORRELTECH COATED 5/8" LOCK WASHER</p> <p>wt. 14 lbs.</p>

N-341 CLAMP ASSEMBLY OPTIONS

 <p>N-341Y-25 (2-1/2x2-1/2)</p>	<p>N341Y-25 COULTER CLAMP for 2-1/2" x 2-1/2" TOOLBAR</p>  <p>N-368 Cast Clamp Shown</p>	<p>Includes: (2) <u>N34102</u> CLAMP PLATE (2) <u>N368</u> DRILLED CAST CLAMP (2) <u>FBS1004</u> ZINC PLATED 5/8-11 x 1" SET BOLT (4) <u>FWL08</u> ZINC PLATED 1/2" SPLIT LOCK WASHER (4) <u>FNH08</u> ZINC PLATED 1/2-13 HEX NUT ZINC PLATED (4) <u>FBH0828</u> ZINC PLATED 1/2-13 x 7" GR. 5 BOLT</p> <p>WT. 12.5#</p>
 <p>N-341Y-33 (3x3)</p>	<p>N341Y-33 COULTER CLAMP for 3 X 3 BAR</p>  <p>N-368 Cast Clamp Shown</p>	<p>Includes: (2) <u>N34103</u> CLAMP PLATE (2) <u>N368</u> DRILLED CAST CLAMP (2) <u>FBS1004</u> ZINC PLATED 5/8-11 x 1" SET BOLT (4) <u>FWL08</u> ZINC PLATED 1/2" SPLIT LOCK WASHER (4) <u>FNH08</u> ZINC PLATED 1/2-13 HEX NUT ZINC PLATED (4) <u>FBH0828</u> ZINC PLATED 1/2-13 x 7" GR. 5 BOLT</p> <p>WT. 12.5#</p>
 <p>N-341Y-44 (4x4)</p>	<p>N341Y-44 COULTER CLAMP for 4 X 4 BAR</p>  <p>N-368 Cast Clamp Shown</p>	<p>Includes: (2) <u>N34104</u> CLAMP PLATE (2) <u>N368</u> DRILLED CAST CLAMP (2) <u>FBS1004</u> ZINC PLATED 5/8-11 x 1" SET BOLT (4) <u>FWL08</u> ZINC PLATED 1/2" SPLIT LOCK WASHER (4) <u>FNH08</u> ZINC PLATED 1/2-13 HEX NUT ZINC PLATED (4) <u>FBH0832</u> ZINC PLATED 1/2-13 x 8" GR. 5 BOLT</p> <p>WT. 13#</p>
 <p>N-341Y-46 (4x6)</p>	<p>N341Y-46 COULTER CLAMP for 4 X 6 BAR</p>  <p>N-368 Cast Clamp Shown</p>	<p>Includes: (2) <u>N34104</u> CLAMP PLATE (2) <u>N368</u> DRILLED CAST CLAMP (2) <u>FBS1004</u> ZINC PLATED 5/8-11 x 1" SET BOLT (4) <u>FWL08</u> ZINC PLATED 1/2" SPLIT LOCK WASHER (4) <u>FNH08</u> ZINC PLATED 1/2-13 HEX NUT ZINC PLATED (4) <u>FBH0840</u> ZINC PLATED 1/2-13 x 10" GR. 5 BOLT</p> <p>WT. 13#</p>
 <p>N-341Y-53 (5x3)</p>	<p>N341Y-53 COULTER CLAMP for 5 X 3 BAR</p>  <p>N-368 Cast Clamp Shown</p>	<p>Includes: (2) <u>N34105</u> CLAMP PLATE (2) <u>N368</u> DRILLED CAST CLAMP (2) <u>FBS1004</u> ZINC PLATED 5/8-11 x 1" SET BOLT (4) <u>FWL08</u> ZINC PLATED 1/2" SPLIT LOCK WASHER (4) <u>FNH08</u> ZINC PLATED 1/2-13 HEX NUT ZINC PLATED (4) <u>FBH0828</u> ZINC PLATED 1/2-13 x 7" GR. 5 BOLT</p> <p>WT. 13.5#</p>

N-341 CLAMP ASSEMBLY OPTIONS - Con't

N-341Y-57 (5x7)

**N341Y-57****COULTER CLAMP for 5 X 7 BAR**

N-368 Cast Clamp Shown

Includes:

- (2) **N34105** CLAMP PLATE
- (2) **N368** DRILLED CAST CLAMP
- (2) **FBS1004** **ZINC PLATED** 5/8-11 x 1" SET BOLT
- (4) **FWL08** **ZINC PLATED** 1/2" SPLIT LOCK WASHER
- (4) **FNH08** **ZINC PLATED** 1/2-13 HEX NUT ZINC PLATED
- (4) **FBH0844** **ZINC PLATED** 1/2-13 x 11" GR. 5 BOLT

WT. 14.5#



N-341Y-64 (6x4)

**N341Y-64****COULTER CLAMP for 6 X 4 BAR**

N-368 Cast Clamp Shown

Includes:

- (2) **N34106** CLAMP PLATE
- (2) **N368** DRILLED CAST CLAMP
- (2) **FBS1004** **ZINC PLATED** 5/8-11 x 1" SET BOLT
- (4) **FWL08** **ZINC PLATED** 1/2" SPLIT LOCK WASHER
- (4) **FNH08** **ZINC PLATED** 1/2-13 HEX NUT ZINC PLATED
- (4) **FBH0832** **ZINC PLATED** 1/2-13 x 8" GR. 5 BOLT

WT. 15#

Retail (CPU)	Retail (Shipped)	OEM	OEM (Early)
\$44.90	\$41.45	\$29.09	\$27.63



N-341Y-75 (7x5)

**N341Y-75****COULTER CLAMP for 7 X 5 BAR**

N-368 Cast Clamp Shown

Includes:

- (2) **N34107** CLAMP PLATE
- (2) **N368** DRILLED CAST CLAMP
- (2) **FBS1004** **ZINC PLATED** 5/8-11 x 1" SET BOLT
- (4) **FWL08** **ZINC PLATED** 1/2" SPLIT LOCK WASHER
- (4) **FNH08** **ZINC PLATED** 1/2-13 HEX NUT ZINC PLATED
- (4) **FBH0836** **ZINC PLATED** 1/2-13 x 9" GR. 5 BOLT

WT. 16.5#



N-341Y-77 (7x7)

**N341Y-77****COULTER CLAMP for 7 X 7 BAR**

N-368 Cast Clamp Shown

Includes:

- (2) **N34107** CLAMP PLATE
- (2) **N368** DRILLED CAST CLAMP
- (2) **FBS1004** **ZINC PLATED** 5/8-11 x 1" SET BOLT
- (4) **FWL08** **ZINC PLATED** 1/2" SPLIT LOCK WASHER
- (4) **FNH08** **ZINC PLATED** 1/2-13 HEX NUT ZINC PLATED
- (4) **FBH0844** **ZINC PLATED** 1/2-13 x 11" GR. 5 BOLT

WT. 17#

20" COULTER BLADES (ON-HAND)**N342****20" x 4.5mm RIPPLE BLADE**

Includes:

- (1) 20" x 4.5mm RIPPLE COULTER BLADE
- Blade Only

WT. 14.7#

**N342-SE****20" x 4.0mm SMOOTH EDGE RIPPLE BLADE**

Includes:

- (1) 20" x 4.0mm SMOOTH EDGE RIPPLE COULTER BLADE
- Blade Only

WT. 12.8#

**N342-P****20" x 4.0mm PLAIN BLADE**

Includes:

- (1) 20" x 4.0mm PLAIN COULTER BLADE
- Blade only

WT. 10.4#

17" COULTER BLADES (ON-HAND)**N339-R****17" x 4.5mm RIPPLE BLADE**

Includes:

- (1) 17" x 4.5mm RIPPLE COULTER BLADE
- Blade Only

WT. 9.7#

COULTER BLADES (ORDER ONLY)**N342-N****20" x 4.5mm NOTCHED BLADE**

Includes:

- (1) 20" x 4.5mm NOTCHED COULTER BLADE
- Blade only

WT. 12.6#

	N342-W 20" x 4.5mm WAVY BLADE	Includes: (1) 20" x 4.5mm WAVY COULTER BLADE Blade only	WT. 14.4#
--	--	---	-----------

	N352-P 24" x 4.5mm PLAIN BLADE	Includes: (1) 24" x 4.5" PLAIN COULTER BLADE Blade Only	WT. 12.8#
--	---	---	-----------

	N338 18" x 3.5mm NOTCHED DISK BLADE	Includes: (1) 18" x 3.5mm NOTCHED DISK BLADE Blade Only	WT. 8.6#
--	--	---	----------

<u>WIESE EXTRA THIN KNIFE</u>			
	CO50 WIESE EXTRA THIN KNIFE Front Swept Coulter Knife	Includes: (1) WIESE EXTRA THIN KNIFE Mounting Bracket Sold Separately	WT. 3.3#

<u>N230 DOUBLE DISK SEALER WITH 18" NOTCHED BLADES</u>			
	N230Y-18ND	DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES	Cast bronze bushings at pivot points.
SIDE DRESS N230Y-18ND Double Disk Sealer			
	N230HDY-18ND	HEAVY DUTY DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES	Tapered bearings at pivot points.
SIDE DRESS Heavy Duty N230HDY-18ND Double Disk Sealer			
	N2302Y-18ND	REAR MOUNT DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES	Cast bronze bushings at pivot points. Mounts to shank with (3) 1/2" U-Bolts
Rear Mount N2302Y-18ND Double Disk Sealer			
	N2302HDY-18ND	REAR MOUNT, HEAVY DUTY DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES	Tapered bearings at pivot points. Mounts to shank with (3) 1/2" U-Bolts
Rear Mount Heavy Duty N2302HDY-18ND Double Disk Sealer			
	N230Y-18ND Double Disk Sealer		<p>Heavy-duty with minimal maintenance</p> <p>Bronze bushings at pivot points</p> <p>Quality laser cut parts</p> <p>Sealed hub prevents water from getting into bearings</p> <p>Easily mounts on most toolbars</p> <p>Multiple adjustments for angle and width</p>
	N2302Y-18ND Rear Mount Double Disk Sealer		

N230 DOUBLE DISK SEALER WITH 18" NOTCHED BLADES (Con't)



N2302HDY-18ND1U

DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES

REAR MOUNT
HEAVY-DUTY



Tapered Bearings at pivot points

Double Disk Sealer



N230Y-18ND2U

HEAVY DUTY DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES

SIDE DRESS



Cast bronze bushings at pivot points

Double Disk Sealer



N2302Y-18ND2U

REAR MOUNT DOUBLE DISK SEALER WITH 18" NOTCHED DISK BLADES

Rear Mount



Cast bronze bushings at pivot points.
Mounts to shank with (3) 1/2" U-Bolts

Double Disk Sealer



**New Option: Coulter Anhydrous Shank
Clamp Assembly - (Call for Pricing)**



Clark Agricultural Equipment

PO Box 266

Pandora, OH 45877

1-800-448-0784

www.CLARKAGEQUIPMENT.com

